# E R M E S

**JASPÉ**

Ne 12/1 Nm 1/20000

COMPOSIZIONE

70% Viscosa

30% Lana Merinos Extrafine

IMPIEGO

Tessitura ordito e trama

Maglieria circolare

ATTENZIONI PARTICOLARI

I colori non sono solidi alla sovratintura ed al candeggio

Nella variante greggia il colore può subire variazioni nel tempo, inoltre non sono garantite le solidità che dipenderanno dai coloranti impiegati nella tintura successiva

MINIMI

Colori STOCK SERVICE: minimo una scatola

Maggiorazione prezzo applicata a quantità inferiori alla scatola

Altri colori: se non disponibili ordine minimo Kg 200

---

COMPOSITION

70% Viscose

30% Merinos Extrafine Wool

APPLICATION

Weaving warp and weft

Circular Knitting

SPECIAL CARES

Fastness of colours is not sufficient for overdyeing and bleaching

Raw-white colour may change along the time, besides fastness are not guarantee and they will depend from dyestuffs used in the following dyeing

MINIMUM

STOCK SERVICE colours: one box minimum

For quantity less than one box: extra charge

Other colours if not available: minimum order 200 Kgs

# E L A N

**Core - Spun**

**JASPÉ**

Ne 12/1 Nm 1/20000

COMPOSIZIONE

65% Viscosa

30% Lana Merinos Extrafine

5% Elastan

IMPIEGO

Tessitura ordito e trama

Maglieria circolare

ATTENZIONI PARTICOLARI

**Filato elastico: nel progettare il tessuto scegliere intrecci e finissaggi adeguati**

I colori non sono solidi alla sovratintura ed al candeggio

Nella variante greggia il colore può subire variazioni nel tempo, inoltre non sono garantite le solidità che dipenderanno dai coloranti impiegati nella tintura successiva

MINIMI

Colori STOCK SERVICE: minimo una scatola

Maggiorazione prezzo applicata a quantità inferiori alla scatola

---

COMPOSITION

65% Viscose

30% Merinos Extrafine Wool

5% Elastan

APPLICATION

Weaving warp and weft

Circular Knitting

SPECIAL CARES

**Elastic yarn: planning the fabric choose proper construction and finishing**

Fastness of colours is not sufficient for overdyeing and bleaching

Raw-white colour may change along the time, besides fastness are not guarantee and they will depend from dyestuffs used in the following dyeing

MINIMUM

STOCK SERVICE colours: one box minimum

For quantity less than one box: extra charge

## INFORMAZIONI TECNICHE / TECHNICAL INFORMATIONS

| SOLIDITÀ<br>FASTNESS | ISO | SCARICO SU COTONE<br>DISCHARGE ON COTTON | DEGRADO<br>COLOR CHANGING |
|---|---|---|---|
| LAVAGGIO IN ACQUA 40° C<br>WASHING AT 40° C | 105-C06 | 4 | 4 |
| LAVAGGIO A SECCO<br>DRY CLEANING | 105-D01 | 4 | 4 |
| SUDORE ACIDO-ALCALINO<br>ACID-ALKALINE PERSPIRATION | 105-E04 | 4 | 4 |
| SFREGAMENTO/RUBBING | 105-X12 | | |
| REATTIVI / ZOLFO A SECCO / DRY | | 3 - 4 | 4 |
| REATTIVI A UMIDO / WET | | 3 - 4 | 4 |
| ZOLFO A UMIDO / WET | | 2 - 3 | 3 |
| LUCE ARTIFICIALE<br>ARTIFICIAL LIGHT | 105-B02 | - | 4 |

Note: valori medi / average values





**COTONIFICIO OLCESE FERRARI S.p.A.**

**Ufficio commerciale:** Via Marzaghette, 7 - 25030 Adro (BS) ITALY

Tel. +39 030 7458830 - fax +39 030 7458833

sales.office@olceseferrari.it - www.olceseferrari.it



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
951453.0 CENTROCOT
Tested for harmful substances.
www.oeko-tex.com/standard100